


Kanlux

**THE CLASSICS
OF CEILING-MOUNTED
LUMINAIRES**

**Kanlux BORD/ BORD XS
Kanlux GORD XS**



Kanlux



Kanlux BORD/BORD XS
Kanlux GORD XS

Surface-mounted ceiling luminaires.

These are complete luminaires dedicated to light sources with a GU10 base.

Kanlux

Kanlux BORD/BORD XS Kanlux GORD XS

Angle adjustment
enables directing
the light towards
the desired
point.

Lighting
angle
adjustment



Kanlux

NEW

KANLUX BORD

Series of traditional Kanlux BORD luminaires.




22559

BORD DLP-50-**SR/W**



22558

BORD DLP-50-**SR/B**



Kanlux


KANLUX BORD

Series of traditional Kanlux BORD luminaires.




22551

BORD DLP-50-**W**



22552

BORD DLP-50-**B**



Kanlux

KANLUX BORD XS

Series of smaller
Kanlux BORD luminaires.




25479

BORD XS DLP-50-W



25478

BORD XS DLP-50-B



Kanlux

KANLUX GORD XS

Series of smaller
Kanlux GORD luminaires.




25477

GORD XS DLP-50-W



25476

GORD XS DLP-50-B



Kanlux



Kanlux BORD/BORD XS / Kanlux GORD XS

Luminaires that add subtlety
and elegance to any interior.

Kanlux



Kanlux BORD/BORD XS / Kanlux GORD XS

Modern design and elegant simplicity make the luminaires suitable for both residential and commercial interiors.

Kanlux



Kanlux BORD/BORD XS / Kanlux GORD XS

They guarantee exceptional illumination to emphasise selected room decor elements.

Kanlux BORD / Kanlux BORD XS / Kanlux GORD XS

NEW



BORD DLP-50-W
BORD DLP-50-B



BORD DLP-50-SR/W
BORD DLP-50-SR/B





BORD XS DLP-50-W
BORD XS DLP-50-B




GORD XS DLP-50-W
GORD XS DLP-50-B

●	BORD DLP-50-B	22552	max 10W LED	ø95 x 125
○	BORD DLP-50-W	22551	max 10W LED	ø95 x 125
●	BORD DLP-50-SR/B	22558	max 10W LED	ø95 x 125
○	BORD DLP-50-SR/W	22559	max 10W LED	ø95 x 125
●	BORD XS DLP-50-B	25478	max 10W LED	ø80 x 115
○	BORD XS DLP-50-W	25479	max 10W LED	ø80 x 115
●	GORD XS DLP-50-B	25476	max 10W LED	80 x 80 x 115
○	GORD XS DLP-50-W	25477	max 10W LED	80 x 80 x 115


Rated voltage [V]: **220-240 AC**
 Maximum power [W]: **max 10W LED**
 Electric shock protection class: **I**
 Base: **GU10**
 Housing material: **aluminium alloy**
 Luminaire angle adjustment: **one axis**
 Luminaire angle adjustment[°]: **25**
 IP rating **20**



BORD DLP



BORD XS DLP



GORD XS DLP

HIGH
quality
finish



Kanlux



Kanlux
BORD XS / GORD XS
well-packed

kanlux.com