




Corepro Glass High Lumen bulbs



CorePro LEDBulbND 150W E27 A67 840 CL G

Featuring a classic heritage design, these filament CorePro LED bulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. A very easy choice for people who are looking for a retrofit LED replacement, these high lumen LED bulbs provide 90% energy savings compared with conventional light bulbs. CorePro LED High Lumen bulbs provide excellent quality of light. Energy-saving LED lighting that offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data

General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED
Flux measurement reference	Sphere
CE mark	Yes
EU RoHS compliant	Yes
Light Technical	
Color Code	840 [CCT of 4000K]
Luminous Flux	2,452 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	144.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %


Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	0.4
Photobiological safety according to EN 62471	RG1
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	17 W
Lamp Current (Nom)	140 mA
Wattage Equivalent	150 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.51
Voltage (Nom)	220-240 V

Corepro Glass High Lumen bulbs

Temperature	
T-Case Maximum (Nom)	60 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Clear
Bulb Shape	A67
Approval and Application	
Energy Efficiency Class	D
Energy Consumption kWh/1000 h	17 kWh
EPREL Registration Number	374898
EyeComfort	Yes
Application Conditions	
can it be used in closed luminaires	No



Product Data	
Order product name	CorePro LEDBulbND 150W E27 A67 840 CL G
Full product name	CorePro LEDBulbND 150W E27 A67 840 CL G
Full product code	871951434659800
Order code	929002372402
Material Nr. (12NC)	929002372402
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8719514346598
Numerator - Packs per outer box	10
EAN/UPC - Case	8719514346604

Dimensional drawing



Product	D	C
CorePro LEDBulbND 150W E27 A67 840 CL G	70 mm	121 mm

Photometric data




General uniform lighting - CorePro LEDBulbND 150W E27 A67 840 CL G

Light Distribution Diagram - CorePro LEDBulbND 150W E27 A67 840 CL G


Corepro Glass High Lumen bulbs

Photometric data




Spectral Power Distribution Colour - CorePro LEDBulbND 150W E27 A67 840 CL G

Lifetime



Life Expectancy Diagram - CorePro LEDBulbND 150W E27 A67 840 CL G



Lumen Maintenance Diagram - CorePro LEDBulbND 150W E27 A67 840 CL G

