




KT label sleeve (standard sleeve)



PRODUCT INFORMATION

High-quality, fully transparent label sleeves for labelling wires, cables and conduits. The KT label sleeves hold the BK ids and type KS labels.

- Available in 7 size options
- Application range from 0.22 - 120 mm²
- Available in various lengths

The KT 2/20x9 as well as KT 2/35x9 for multi-line marking are designed to hold type KSO labels.

SPECIFICATIONS

	Polyvinyl chloride (PVC)
	-40 – 60 °C
	V0

Article	Order No.	Area of application from - to Ø mm (C)	Wire cross section from - to mm ² (D)	Recommended Label plate	No. Ids BK23 / BK30	MOQ pcs.
10 mm sleeve length (A), single line marking						
KT 0/10	86201010	1.30 – 2.00	0.22 – 0.50	KS 4/10 x	4 / 3	2000
KT 1/10	86201012	1.80 – 2.50	0.50 – 1.00	KS 4/10 x	4 / 3	2000
KT 2/10	86201014	2.50 – 4.00	0.75 – 2.50	KS 4/10 x	4 / 3	2000
KT 3/10	86201016	4.00 – 6.50	2.50 – 6.00	KS 4/10 x	4 / 3	1000
KT 4/10	86201018	6.00 – 10.00	10.00 – 25.00	KS 4/10 x	4 / 3	1000
KT 5/10	86201020	9.00 – 15.00	25.00 – 50.00	KS 4/10 x	4 / 3	1000
KT 6/10	86201022	15.00 – 23.00	50.00 – 120.00	KS 4/10 x	4 / 3	500
12 mm sleeve length (A), single line marking						
KT 0/12	86201210	1.30 – 2.00	0.22 – 0.50	KS 4/12 x	5 / 4	2000
KT 1/12	86201212	1.80 – 2.50	0.50 – 1.00	KS 4/12 x	5 / 4	2000
KT 2/12	86201214	2.50 – 4.00	0.75 – 2.50	KS 4/12 x	5 / 4	2000
KT 3/12	86201216	4.00 – 6.50	2.50 – 6.00	KS 4/12 x	5 / 4	1000
KT 4/12	86201218	6.00 – 10.00	10.00 – 25.00	KS 4/12 x	5 / 4	1000
KT 5/12	86201220	9.00 – 15.00	25.00 – 50.00	KS 4/12 x	5 / 4	1000
KT 6/12	86201222	15.00 – 23.00	50.00 – 120.00	KS 4/12 x	5 / 4	500
15 mm sleeve length (A), single line marking						
KT 0/15	86201510	1.30 – 2.00	0.22 – 0.50	KS 4/15 x	6 / 5	2000
KT 1/15	86201512	1.80 – 2.50	0.50 – 1.00	KS 4/15 x	6 / 5	2000
KT 2/15	86201514	2.50 – 4.00	0.75 – 2.50	KS 4/15 x	6 / 5	2000
KT 3/15	86201516	4.00 – 6.50	2.50 – 6.00	KS 4/15 x	6 / 5	1000
KT 4/15	86201518	6.00 – 10.00	10.00 – 25.00	KS 4/15 x	6 / 5	1000
KT 5/15	86201520	9.00 – 15.00	25.00 – 50.00	KS 4/15 x	6 / 5	1000

KT label sleeve (standard sleeve)

Article	Order No.	Area of application from - to Ø mm (C)	Wire cross section from - to mm² (D)	Recommended Label plate	No. Idents BK23 / BK30	MOQ pcs.
KT 6/15	86201522	15.00 – 23.00	50.00 – 120.00	KS 4/15 x	6 / 5	500
18 mm sleeve length (A), single line marking						
KT 0/18	86201810	1.30 – 2.00	0.22 – 0.50	KS 4/18 x	7 / 6	2000
KT 1/18	86201812	1.80 – 2.50	0.50 – 1.00	KS 4/18 x	7 / 6	2000
KT 2/18	86201814	2.50 – 4.00	0.75 – 2.50	KS 4/18 x	7 / 6	2000
KT 3/18	86201816	4.00 – 6.50	2.50 – 6.00	KS 4/18 x	7 / 6	1000
KT 4/18	86201818	6.00 – 10.00	10.00 – 25.00	KS 4/18 x	7 / 6	1000
KT 5/18	86201820	9.00 – 15.00	25.00 – 50.00	KS 4/18 x	7 / 6	750
KT 6/18	86201822	15.00 – 23.00	50.00 – 120.00	KS 4/18 x	7 / 6	300
23 mm sleeve length (A), single line marking						
KT 0/23	86202310	1.30 – 2.00	0.22 – 0.50	KS 4/23 x	10 / 7	2000
KT 1/23	86202312	1.80 – 2.50	0.50 – 1.00	KS 4/23 x	10 / 7	2000
KT 2/23	86202314	2.50 – 4.00	0.75 – 2.50	KS 4/23 x	10 / 7	1000
KT 3/23	86202316	4.00 – 6.50	2.50 – 6.00	KS 4/23 x	10 / 7	1000
KT 4/23	86202318	6.00 – 10.00	10.00 – 25.00	KS 4/23 x	10 / 7	1000
KT 5/23	86202320	9.00 – 15.00	25.00 – 50.00	KS 4/23 x	10 / 7	500
KT 6/23	86202322	15.00 – 23.00	50.00 – 120.00	KS 4/23 x	10 / 7	250
30 mm sleeve length (A), single line marking						
KT 0/30	86203010	1.30 – 2.00	0.22 – 0.50	KS 4/30 x	13 / 10	1000
KT 1/30	86203012	1.80 – 2.50	0.50 – 1.00	KS 4/30 x	13 / 10	1500
KT 2/30	86203014	2.50 – 4.00	0.75 – 2.50	KS 4/30 x	13 / 10	1000
KT 3/30	86203016	4.00 – 6.50	2.50 – 6.00	KS 4/30 x	13 / 10	1000
KT 4/30	86203018	6.00 – 10.00	10.00 – 25.00	KS 4/30 x	13 / 10	500
KT 5/30	86203020	9.00 – 15.00	25.00 – 50.00	KS 4/30 x	13 / 10	500
KT 6/30	86203022	15.00 – 23.00	50.00 – 120.00	KS 4/30 x	13 / 10	200
20 mm sleeve length (A), single and multi-line marking						
KT 2/20x9	86202050	2.50 – 4.00	0.75 – 2.50	KSO 20x9		1000
35 mm sleeve length (A), single and multi-line marking						
KT 2/35x9	86203550	2.50 – 4.00	0.75 – 2.50	KSO 35x9		500
70 mm sleeve length (A), single line marking						
KT 2/70	86207014	2.50 – 4.00	0.75 – 2.50	KS 4/30-70	30 / 23	500
KT 3/70	86207016	4.00 – 6.50	2.50 – 6.00	KS 4/30-70	30 / 23	400
* Single wire, type H05/07V-K						

MATERIAL PROPERTIES



Polyvinyl chloride (PVC)

KT label sleeve (standard sleeve)

THERMAL PROPERTIES



-40 – 60 °C

FIRE PROPERTIES



V0

ASSEMBLY METHOD



All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.

They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.

© Murrplastik Systemtechnik GmbH • proID_96975~20220322~890286~acs_mod_kt_tuelle