



KPX terminal block label



PRODUCT INFORMATION

KPX - for terminal manufacturers **Phoenix**, **ABB Entelec**, **Murrelektronik**, **Siemens** and **Wago**.

High-quality, halogen-free snap-in label plates. Labels available for mounting individually or in strips.

The large printable area at the top allows room for individual project and terminal block reference, without the need for additional organizational systems.

Label plates designated as „5 - 6 mm-grid strips“ can be adapted to terminal block widths of 5 mm or 6 mm by means of an extension spring joint.

Label plates designated as „Universal strip“ can be used on various different terminal block widths.

The 6/180 labeling strips can be printed with a laser printer set up for the required terminal block width.

SPECIFICATIONS



Polycarbonate (PC)



-40 – 130 °F



V0



Individual and strip mounting



Article	Order No.	Color	RAL equiv.	label size * mm	Printable area * mm	No. characters/lines	No. No. of	No. Per frame	Base plate	Soft-ware Article	MOQ pcs.
3.5 mm pitch strips in a row, flat foot (ZS)											
KPX 3.5/5-3.5 ZS	86401223	White	9016	3.50 x 5.00	3.50 x 5.00	2 / 1	5	150	GP5	416	3000
4.2 mm pitch strips in a row, flat foot (ZS)											
KPX 4.2/5-4.2 ZS	86401248	White	9016	4.20 x 5.00	4.20 x 5.00	2 / 1	5	125	GP5	47Z	2500
5 mm pitch strips in a row, flat foot (ZS)											
KPX 5/5-5 ZS	86401233	Yellow	1018	5.00 x 5.00	5.00 x 5.00	2 / 1	5	110	GP5	43G	2090
6 mm pitch strips in a row, flat foot (ZS)											
KPX 6/5-6 ZS	86401228	White	9016	5.00 x 6.00	5.00 x 6.00	3 / 1	5	90	GP5	44Z	2070
Single labels, flat foot (ZS)											
KPX 8.2/5 ZS	86401252	White	9016	8.20 x 5.00	8.20 x 5.00	2 / 2	5	65	GP5	48Z	1040
KPX 10/5 ZS	86401246	White	9016	10.00 x 5.00	10.00 x 5.00	2 / 2	5	55	GP5	41Z	1320
12 mm pitch strips in a row, flat foot (ZS)											
KPX 12/5-12 ZS	86401240	White	9016	5.00 x 12.00	5.00 x 12.00	6 / 1	5	45	GP5	46Z	1080
Strips are universally divisible (maximum length 104 mm, minimum length 4.2 mm), flat foot (ZS)											
KPX U/5 ZS	86401230	White	9016	5.00 x 104.00	5.00 x 104.00	57 / 1	5	100	GP5	180	2000

KPX terminal block label

Article	Order No.	Color	RAL equiv.	label size * mm	Printable area * mm	No. characters/ lines	No. No. of	No. Per frame	Base plate	Soft-ware Article	MOQ pcs.
Labeling strip on label sheet in A4 format											
KPX 6/180	86402510	White	9016	6.00 x 180.00	6.00 x 180.00	100 / 1	1	20		180	100
* Specifications of the label size / printable area is shown in Width x Length.											

MATERIAL PROPERTIES



Polycarbonate (PC)

THERMAL PROPERTIES

Temperature / temperature range
-40 – 130 °F

FIRE BEHAVIOR



V0

TECHNICAL INFORMATION

Halogen-free
DIN/VDE 0472, Part 815

GENERAL TECHNICAL DATA



Individual and strip mounting

ASSEMBLY METHOD



Snap-in system



Strip system

LABELING TECHNOLOGY



Plotters



Laser



Laser printer



Inkjet

KPX terminal block label

All details given in our sales brochures and catalogs, as well as the information available online, are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the products described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information regarding the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or in experiments, is given to the best of our knowledge.

This does not free the purchaser of carrying out their own inspections and tests in order to determine the suitability of a product for a specific purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.

© Murrplastik Systemtechnik GmbH • proID_139450~20220201~890286~acs_mod_kpx