



**Frame holder and trim
frame for columns and
mini columns white
Simon 500 Cima**

Ref.: **52550900-030**

BASIC INFORMATION

Series	Simon 500 Cima
Version	1 and 2 sides
Number of modules	2
Finish	White
KIT availability	No
Compatibility	Simon 500 Cima and Simon 27 Play/Simon K45 mechanisms (using an adaptor)
Packaging contents	Frame holder and trim frame
Remarks	The frame holder clips directly to the trunking profile, without the need to use tools.

Technical information

Dimensions	135 x 80 mm
Depth	16 mm
Earthing resistance	<0.05 Ohms
IP rating	4X
RAL	9003
Manufacturing material	Halogen-free thermoplastic that guarantees no flame propagation in case of fire and low toxicity in case of smoke emission.
Type of product	Standard
Market available	CE

Regulations

Regulations	Directive 2014/35/UE LVD + EN 50085-2-4:2009
-------------	--

Installation and maintenance

Type of fastening	By direct snap-fit in the selected enclosure (no tools needed for fastening))
Installation direction	Vertical, corresponding with the direction of the mechanisms
Removal of trim frames	Only with tool
Temperature range during installation	-5 to 60 °C
Max. temp. during construction work	+60 °C
Maintenance	Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.



www.simonelectric.com



SIMON, S.A.U.

Diputación, 390-392
08013 Barcelona (Spain)
Tel.: +34 93 547 81 81