

KDT/X cable entry grommets



PRODUCT INFORMATION

For example, in conjunction with the KDL/C, KDL/D and KDL/H cable entry systems, the KDT/X cable entry grommet can be used to easily route pre-assembled cables into and through control cabinets. The grommet is retrofitted around the cable.

Double cable grommets, multi-line grommets, ASI bushings, USB-grommets and adapter grommets are not cURus listed.

SPECIFICATIONS

	TPE
	-30 – 100 °F
	V0

Article	Order No.	Color	for Ø mm	For opening Small / medium / large	No. of openings	Material	MOQ pcs.
Grommet, small							
KDT/X 02	87141210	Black	2 – 3	• / - / -	1	Thermoplastic elastomer	12
KDT/X 03	87141212	Black	3 – 4	• / - / -	1	Thermoplastic elastomer	12
KDT/X 04	87141214	Black	4 – 5	• / - / -	1	Thermoplastic elastomer	12
KDT/X 05	87141216	Black	5 – 6	• / - / -	1	Thermoplastic elastomer	12
KDT/X 06	87141218	Black	6 – 7	• / - / -	1	Thermoplastic elastomer	12
KDT/X 07	87141220	Black	7 – 8	• / - / -	1	Thermoplastic elastomer	12
KDT/X 08	87141222	Black	8 – 9	• / - / -	1	Thermoplastic elastomer	12
KDT/X 09	87141224	Black	9 – 10	• / - / -	1	Thermoplastic elastomer	12
KDT/X 10	87141226	Black	10 – 11	• / - / -	1	Thermoplastic elastomer	12
KDT/X 11	87141228	Black	11 – 12	• / - / -	1	Thermoplastic elastomer	12
Grommet, medium							
KDT/X 12	87141230	Black	12 – 13	- / • / -	1	Thermoplastic elastomer	4
KDT/X 13	87141232	Black	13 – 14	- / • / -	1	Thermoplastic elastomer	4
KDT/X 14	87141234	Black	14 – 15	- / • / -	1	Thermoplastic elastomer	4
KDT/X 15	87141236	Black	15 – 16	- / • / -	1	Thermoplastic elastomer	4
KDT/X 16	87141238	Black	16 – 17	- / • / -	1	Thermoplastic elastomer	4
KDT/X 17	87141240	Black	17 – 18	- / • / -	1	Thermoplastic elastomer	4
KDT/X 18	87141242	Black	18 – 19	- / • / -	1	Thermoplastic elastomer	4
KDT/X 19	87141244	Black	19 – 20	- / • / -	1	Thermoplastic elastomer	4
KDT/X 20	87141246	Black	20 – 21	- / • / -	1	Thermoplastic elastomer	4
KDT/X 21	87141248	Black	21 – 22	- / • / -	1	Thermoplastic elastomer	4
Grommet, large							
KDT/X 22	87141250	Black	22 – 23	- / - / •	1	Thermoplastic elastomer	4
KDT/X 23	87141252	Black	23 – 24	- / - / •	1	Thermoplastic elastomer	4

KDT/X cable entry grommets

Article	Order No.	Color	for Ø mm	For opening Small / medium / large	No. of openings	Material	MOQ pcs.
KDT/X 24	87141254	Black	24 – 25	- / - / •	1	Thermoplastic elastomer	4
KDT/X 25	87141256	Black	25 – 26	- / - / •	1	Thermoplastic elastomer	4
KDT/X 26	87141258	Black	26 – 27	- / - / •	1	Thermoplastic elastomer	4
KDT/X 27	87141260	Black	27 – 28	- / - / •	1	Thermoplastic elastomer	4
KDT/X 28	87141262	Black	28 – 29	- / - / •	1	Thermoplastic elastomer	4
KDT/X 29	87141264	Black	29 – 30	- / - / •	1	Thermoplastic elastomer	4
Dummy grommet							
BTK/X (dummy grommet)	87141270	Black		• / - / -	1	Thermoplastic elastomer	12
BTG/X dummy grommet	87141266	Black		- / • / -	1	Thermoplastic elastomer	4
BTG/XL dummy grommet	87141265	Black		- / - / •		Thermoplastic elastomer	4
Double cable grommet							
KDT/X 2x2 ¹⁾	87141275	Black	2	• / - / -	2	Thermoplastic elastomer	12
KDT/X 2x3 ¹⁾	87141277	Black	3	• / - / -	2	Thermoplastic elastomer	12
KDT/X 2x4 ¹⁾	87141279	Black	4	• / - / -	2	Thermoplastic elastomer	12
KDT/X 2x5 ¹⁾	87141281	Black	5	- / • / -	2	Thermoplastic elastomer	4
KDT/X 2x6 ¹⁾	87141283	Black	6	- / • / -	2	Thermoplastic elastomer	4
KDT/X 2x7 ¹⁾	87141285	Black	7	- / • / -	2	Thermoplastic elastomer	4
KDT/X 2x8 ¹⁾	87141287	Black	8	- / • / -	2	Thermoplastic elastomer	4
Multi-line sleeve 4-line							
KDT/X 4x2 ¹⁾	87141276	Black	2	• / - / -	4	Thermoplastic elastomer	12
KDT/X 4x3 ¹⁾	87141278	Black	3	• / - / -	4	Thermoplastic elastomer	12
KDT/X 4x4 ¹⁾	87141280	Black	4	• / - / -	4	Thermoplastic elastomer	12
KDT/X 4x5 ¹⁾	87141282	Black	5	- / • / -	4	Thermoplastic elastomer	4
KDT/X 4x6 ¹⁾	87141284	Black	6	- / • / -	4	Thermoplastic elastomer	4
KDT/X 4x7 ¹⁾	87141286	Black	7	- / • / -	4	Thermoplastic elastomer	4
KDT/X 4x8 ¹⁾	87141288	Black	8	- / • / -	4	Thermoplastic elastomer	4
Grommet adapter (adapter for small grommet)							
ATG/X ²⁾	87141268	Black		- / • / -		Thermoplastic elastomer	4
Adapter grommet (for center grommet)							
ATG/XL Adapter grommet	87141267	Black		- / - / •		Thermoplastic elastomer	4
ASI bushing (for ASI line)							
KDT/X 1xASI ²⁾	87141274	Black		- / • / -		Thermoplastic elastomer	4
KDT/X 2xASI ²⁾	87141272	Black		- / • / -		Thermoplastic elastomer	4
USB grommet							
KDT/X-USB 0.5m ²⁾	87141294	Black		- / • / -		Thermoplastic elastomer	1
KDT/X-USB 1.0m ²⁾	87141296	Black		- / • / -		Thermoplastic elastomer	1
KDT/X-USB 3.0m ²⁾	87141298	Black		- / • / -		Thermoplastic elastomer	1

KDT/X cable entry grommets

Article	Order No.	Color	for Ø mm	For opening Small / medium / large	No. of openings	Material	MOQ pcs.
LAN port							
KDT/X-LAN	87141292	Black		- / - / •		Thermoplastic elastomer	1
¹⁾ no UR-approval / unused openings can be closed off with Type VST sealing plugs ²⁾ No UR approval							

MATERIAL PROPERTIES



TPE

THERMAL PROPERTIES


Temperature / temperature range
 -30 – 100 °F

FIRE BEHAVIOR



V0

Flammability classification

TECHNICAL INFORMATION


free of LABS

According to ISO 4892-2

CONFORMITY


RoHS (EC Directive 2011/65/EU)

APPROVALS AND OPERATING PERMITS


cURus-approval

GENERAL INFORMATION


Made in Germany

All details given in our sales brochures and catalogs, as well as the information available online, are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the products described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information regarding the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or in experiments, is given to the best of our knowledge.

This does not free the purchaser of carrying out their own inspections and tests in order to determine the suitability of a product for a specific purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.

© Murrplastik Systemtechnik GmbH • proID_57693~20220201~890287~KDH_KDT_X