




Cable entry plate, round, Type KDP/R



PRODUCT INFORMATION

The KDP/ZR cable entry plate is made of modified Polypropylene and is a round entry and fastening system for cables without plugs and pneumatic hoses such as those used in control cabinets, plant or machine construction. Wherever quick assembly is required with high packing density and cables must be protected, the cable insertion

system is used.

The special benefits of the KDP/ZR are:

- Enormous time savings in assembly
- High packing density
- Standardized cut-out dimensions
- Large wire diameter ranges
- Very flat design

SPECIFICATIONS

	Frame: Polypropylene (PP)
	Seal: TPE
	-30 – 70 °F
	IP 65
	IP 66
	IP 67
	HB

Article	Order No.	Color	No. Openings	Thread metric	MOQ pcs.
short thread					
KDP/ZR 40/6, KG	87303130	Black	6	M40x1,5	5
KDP/ZR 40/7, KG	87303132	Black	7	M40x1,5	5
KDP/ZR 50/10, KG	87303150	Black	10	M50x1,5	5
KDP/ZR 50/10-1, KG	87303152	Black	10	M50x1,5	5
KDP/ZR 63/15, KG	87303170	Black	15	M63x1,5	5
KDP/ZR 63/18, KG	87303172	Black	18	M63x1,5	5
KDP/ZR 63/30, KG	87303174	Black	30	M63x1,5	5
Grommet adapter (adapter for small grommet)					
KDP/ZR 40/6	87303120	Black	6	M40x1,5	5
KDP/ZR 40/7	87303122	Black	7	M40x1,5	5
KDP/ZR 50/10	87303140	Black	10	M50x1,5	5
KDP/ZR 50/10-1	87303142	Black	10	M50x1,5	5
KDP/ZR 63/15	87303160	Black	15	M63x1,5	5
KDP/ZR 63/18	87303162	Black	18	M63x1,5	5
KDP/ZR 63/30	87303164	Black	30	M63x1,5	5

DIMENSION TABLE

Article	Order No.	Installation height mm	a mm	b mm	c mm	d mm
short thread						
KDP/ZR 40/6, KG	87303130	8.50	48.50	8.50	12.00	40.50
KDP/ZR 40/7, KG	87303132	8.50	48.50	8.50	12.00	40.50

Cable entry plate, round, Type KDP/R

Article	Order No.	Installation height mm	a mm	b mm	c mm	d mm
KDP/ZR 50/10, KG	87303150	8.50	58.50	8.50	12.00	50.50
KDP/ZR 50/10-1, KG	87303152	8.50	58.50	8.50	12.00	50.50
KDP/ZR 63/15, KG	87303170	8.50	71.50	8.50	12.00	63.50
KDP/ZR 63/18, KG	87303172	8.50	71.50	8.50	12.00	63.50
KDP/ZR 63/30, KG	87303174	8.50	71.50	8.50	12.00	63.50
Grommet adapter (adapter for small grommet)						
KDP/ZR 40/6	87303120	8.50	48.50	8.50	24.50	40.50
KDP/ZR 40/7	87303122	8.50	48.50	8.50	24.50	40.50
KDP/ZR 50/10	87303140	8.50	58.50	8.50	24.50	50.50
KDP/ZR 50/10-1	87303142	8.50	58.50	8.50	24.50	50.50
KDP/ZR 63/15	87303160	8.50	71.50	8.50	24.50	63.50
KDP/ZR 63/18	87303162	8.50	71.50	8.50	24.50	63.50
KDP/ZR 63/30	87303164	8.50	71.50	8.50	24.50	63.50

MATERIAL PROPERTIES



Frame: Polypropylene (PP)
Seal: TPE

THERMAL PROPERTIES



Temperature / temperature range
-30 – 70 °F

PROTECTION CLASS



Protection class
IP 65
IP 66
IP 67

FIRE BEHAVIOR



HB

TECHNICAL INFORMATION



free of LABS



According to ISO 4892-2

CONFORMITY



RoHS (EC Directive 2011/65/EU)

GENERAL INFORMATION



Made in Germany

Cable entry plate, round, Type KDP/R

All details given in our sales brochures and catalogs, as well as the information available online, are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the products described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information regarding the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or in experiments, is given to the best of our knowledge.

This does not free the purchaser of carrying out their own inspections and tests in order to determine the suitability of a product for a specific purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.

© Murrplastik Systemtechnik GmbH • proID_129862~20220201~890287~kdh_kdp_zr